Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 22, August 30, 2012

For the Period August 21 to 27, 2012

Twenty-one per cent of the 2012 crop is combined and 27 per cent is swathed or ready to straight combine, according to Saskatchewan Agriculture's weekly Crop Report.

The five-year (2007-2011) provincial average for this time of year is 17 per cent combined and 24 per cent swathed or ready to straight combine. Last year at this time, 21 per cent had been combined and 27 per cent swathed or ready to straight combine.

Harvest progress varies across the province. The southwest has 49 per cent combined and 20 per cent swathed or ready to straight combine; the southeast has 32 per cent combined and 27 per cent swathed or ready to straight combine. The east-central region has 10 per cent combined and 28 per cent swathed or ready to straight combine; the west-central region has eight per cent combined and 28 per cent swathed or ready to straight combine. In the northeast, five per cent of the crop is combined and 35 per cent is swathed or ready to straight combine, and in the northwest, four per cent is combined and 33 per cent swathed or ready to straight combine.

Pasture conditions across the province are rated as nine per cent excellent, 57 per cent good, 27 per cent fair, six per cent poor and one per cent very poor. Ninety-six per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Across the province, topsoil moisture on cropland is rated as seven per cent surplus, 67 per cent adequate, 21 per cent short and five per cent very short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 61 per cent adequate, 26 per cent short and nine per cent very short.

Precipitation this week ranged from small amounts in southern parts of the province to 175 mm in the Meadow Lake area. Some areas of the province received strong winds, heavy rains and hail that have delayed field operations and damaged crops.

Farmers are busy desiccating, swathing, combining and hauling bales.

One year ago

Twenty-one per cent of the 2011 crop had been combined and 27 per cent was swathed or ready to straight combine. Warm and dry weather helped to progress harvest.

Follow the 2012 Crop Report on Twitter @SKGovAg

Saskatchewan Harvest August 27, 2012 % combined	
Winter wheat	95
Fall rye*	95
Spring wheat	7
Durum	22
Barley	15
Canola	14
Mustard	44
Lentils	55
Peas	63
Chickpeas	16
*includes two per cent 'other'	

Harvest Progress in SK Per cent combined	
All Crops	
Aug 30/12	21
5 year avg. (2007-2011)	17
Sept 1/11	21
Aug 30/10	8
Sept 1/09	8
Aug 31/08	20
Aug 26/07	27

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The region received small amounts of precipitation this past week which has helped harvest progress. The Frobisher area received 2 mm of rain, the Rocanville area 5 mm, the Grenfell area 10 mm, the Odessa area 24 mm, the Vibank area 20 mm, the Moose Jaw area 7 mm and the Marquis area 6 mm. Crop districts 2A and 3ASE reported receiving no rain this past week. Since April 1, rainfall in the region has ranged from 190 mm (Radville area) to 532 mm (Tantallon area). Radville has the lowest cumulative rainfall in the province.

Harvest is quickly progressing and producers now have 32 per cent of the 2012 crop harvested, up from 20 per cent last week. Twenty-seven per cent of the crop is swathed or ready to straight combine. Ninety-seven per cent of the winter wheat and fall rye, 19 per cent of the spring wheat and durum, 23 per cent of the barley, 58 per cent of the lentils, 78 per cent of the field peas, 29 per cent of the chickpeas, 30 per cent of the canola and 24 per cent of the mustard have been combined. Forty-nine per cent of the canola and 39 per cent of the mustard has been swathed. Crop conditions and staging vary throughout the region, depending on seeding date, the impact of disease and the excess moisture in the spring.

Topsoil moisture ratings on cropland are reported as one per cent surplus, 63 per cent adequate, 35 per cent short and one per cent very short. On hay land and pasture, topsoil moisture is rated as 55 per cent adequate, 43 per cent short and two per cent very short. Crop District 1A is reporting that 75 per cent of cropland, hay land and pasture are short of moisture.

Pasture conditions across the region are rated as one per cent excellent, 54 per cent good, 39 per cent fair and six per cent poor. Ninety-seven per cent of livestock producers have indicated that they have adequate supplies of water for their animals.

The majority of crop damage this week is due to wind, disease, heat stress and hail. Strong winds during the week have blown many swaths across fields and shelled standing pulse and canola crops. Hail was also reported in many areas and damage varies. Reported canola yields continue to be disappointing due to high incidences of aster yellows and sclerotinia. Cereal and pulse yields vary, depending on seeding date, heat stress and disease. Many crop producers are spraying flax and cereal crops for pre-harvest weed control. Some livestock producers are considering taking a second cut of hay. There have been reports of wildlife feeding on crops.

Producers are desiccating, swathing, combining and hauling bales.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The region received very little precipitation this past week, helping to progress harvest. The Spring Valley, Gull Lake and Mankota areas received 1 mm of rain, the Coderre and Tyner areas 2 mm, the Eyebrow and Frontier areas 5 mm, the Richmound area 6 mm and the Rush Lake area 3 mm. Since April 1, rainfall in the region has ranged from 201 mm (Consul area) to 454 mm (Cadillac area).

Significant harvest progress was made this week. Forty-nine per cent of the 2012 has now been harvested, up from 27 per cent last week. An additional 20 per cent is swathed or ready to straight cut. Ninety-six per cent of the winter wheat and fall rye, 21 per cent of the spring wheat, 29 per cent of the durum, 61 per cent of the barley, 29 per cent of the oats, 86 per cent of the lentils, 94 per cent of the peas, 15 per cent of the chickpeas, 62 per cent of the canola and 67 per cent of the mustard have been combined. Twenty-six per cent of the canola and 13 per cent of the mustard is swathed or ready to straight cut.

Moisture conditions in the region continue to worsen due to the high temperatures and lack of rain over the past month. Topsoil moisture on cropland is rated as 24 per cent adequate, 52 per cent short and 24 per cent very short. Hay land and pasture topsoil moisture conditions are 17 per cent adequate, 51 per cent short and 32 per cent very short. In crop districts 4A and 4B, 56 per cent and 67 per cent, respectively, of cropland, hay land and pasture are very short of moisture. A significant rainfall is needed in the majority of the region to help recharge the soil.

Pasture conditions across the region are rated as one per cent excellent, 27 per cent good, 52 per cent fair, 16 per cent poor and four per cent very poor. Eighty-nine per cent of livestock producers have indicated that they have adequate supplies of water for their animals, while 11 per cent are indicating inadequate water supplies. Some cattle are having their diets supplemented with hay as pasture conditions are not ideal.

Wind, drought, hail, insects and disease are causing the most crop damage this week. Strong winds over the weekend have blown some canola and lentil swaths across the fields. Reported cereal yields have been disappointing due to insect and disease damage, and quality may be an issue in some areas. Canola yields vary in the region but for the most part are indicated to be average. Many later seeded crops remain green and may not be ready for harvest for some time yet. Many producers are getting equipment ready to seed winter wheat or have already begun seeding. Moisture will be needed this fall to help relieve the dry conditions.

Producers are busy swathing and combining crops, hauling bales and preparing bins.

East-Central Saskatchewan (Crop Districts 5 and 6a)

The region received varying amounts of rain this past week, delaying field operations in many areas. Rainfall ranged from trace amounts to 32 mm in the Leroy area. The Saltcoats area received 10 mm of rain, the Yorkton and Earl Grey areas 16 mm, the Elfros area 27 mm, the Wynyard area 30 mm, the Quill Lake area 19 mm, the Holdfast area 6 mm, the Craik area 7 mm and the Bradwell area 28 mm. Since April 1, cumulative rainfall in the region has ranged from 266 mm (Quill Lake area) to 496 mm (Goodeve area).

Ten per cent of the 2012 is combined, up from four per cent last week; an additional 28 per cent is swathed or ready to straight combine. Ninety per cent of the winter wheat, 91 per cent of the fall rye, two per cent of the spring wheat, nine per cent of the barley, 25 per cent of the lentils, 52 per cent of the peas, nine per cent of the canola and three per cent of the mustard have been combined. Forty-one per cent of the canola, 20 per cent of the mustard, 11 per cent of the peas and 14 per cent of the barley have been swathed.

Cropland topsoil moisture is rated as two per cent surplus, 91 per cent adequate and seven per cent short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 87 per cent adequate and 11 per cent short.

Pasture conditions across the region are rated as seven per cent excellent, 80 per cent good, 12 per cent fair and one per cent short. All livestock producers are reported to have adequate supplies of water for theiranimals.

Crop damage this week is attributed to wind, hail and disease. Strong winds over the weekend have blown some canola swaths across fields and shelled many standing crops. Hail was reported in some areas and damage varies. Aster yellows, sclerotinia, bertha armyworms and grasshoppers continue to effect yield. Reported yields for most crops have been disappointing due to disease and excess moisture in the spring; many producers are reporting much lower than average yields.

Crops are maturing late and unevenly, and there are indications that there may be harvest challenges. There have been reports of deer and moose feeding on crops.

Producers are busy hauling bales, baling greenfeed, swathing and combining.

West-Central Saskatchewan (Crop Districts 6B and 7)

Thunderstorms brought damaging hail and heavy rain to much of the region this past week. The Conquest area received 14 mm of rain, the Dinsmore area 8 mm, the Rosetown area 3 mm, the Kindersley area 18 mm, the Sonningdale area 26 mm, the Biggar area 39 mm, the Cando area 34 mm and the Wilkie area 14 mm. Since April 1, cumulative precipitation in the region has ranged from 312 mm (Unity area) to 546 mm (Sonningdale area). The Sonningdale area has the second highest cumulative rainfall total in the province since April 1.

Harvest is progressing and producers now have eight per cent of the 2012 crop combined, up from two per cent last week. Twenty-eight per cent of the crop is swathed or ready to straight combine.

Sixty-six per cent of the winter wheat, 84 per cent of the fall rye, one per cent of the spring wheat and mustard, four per cent of the barley and canola, 15 per cent of the lentils and 36 per cent of the peas have been combined. Fifty-three per cent of the canola and 32 per cent of the mustard have been swathed. Warm and dry weather is needed to advance the maturity of many later-seeded crops.

Topsoil moisture conditions are rated as five per cent surplus, 85 per cent adequate and 10 per cent short on cropland. Hay land and pasture topsoil moisture conditions are rated as one per cent surplus, 83 per cent adequate and 16 per cent short.

Pasture conditions across the region are rated as 24 per cent excellent, 70 per cent good and six per cent fair. One hundred per cent of livestock producers have indicated that they have adequate supplies of water for theiranimals.

The majority of crop damage this week is attributed to wind, hail, insects and localized flooding. Hail storms damaged windows, gardens and crops, and damage in some areas in substantial. There have been reports of strong winds overturning bins. Reported yields have been disappointing so far but many producers are optimistic about the remaining crops. Crops are maturing late and unevenly, and there are indications that harvest may be a challenge in some areas.

Producers are busy swathing canola, desiccating pulses, hauling bales and combining.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

A large amount of rain fell again this week, delaying field operations. The Arborfield area received 27 mm of rain, the Nipawin area 34 mm, the Humboldt area 30 mm, the Bruno area 55 mm, the Vonda area 37 mm, the Melfort area 13 mm and the Garrick and Prince Albert areas 14 mm. The Alvena area has recorded the least amount of rainfall since April 1 (384 mm), while the Tisdale area has received the greatest cumulative rainfall in both the region and the province (617 mm).

Five per cent of the 2012 crop is combined and an additional 35 per cent is swathed or ready to straight combine. Just over one per cent of the crop had been combined at this time last week.

Ninety-nine per cent of the winter wheat, 91 per cent of the fall rye, one per cent of the spring wheat, seven per cent of the barley, eight per cent of the lentils, 46 per cent of the peas and three

per cent of the canola have been combined. An additional 13 per cent of the barley and 52 per cent of the canola is swathed or ready to straight combine.

Topsoil moisture conditions continue to worsen. Cropland topsoil moisture is rated as 38 per cent surplus and 62 per cent adequate. Hay land and pasture topsoil moisture is rated as 32 per cent surplus, 67 per cent adequate and one per cent short. Crop districts 8A and 9AE are reporting 49 per cent and 48 per cent, respectively, of cropland have surplus moisture. Forty-one per cent of hay land and pasture in CD 8A has surplus moisture.

Pasture conditions across the region are rated as 32 per cent excellent, 65 per cent good and three per cent fair. All livestock producers are reported to have adequate supplies of water for theiranimals.

Localized flooding, wind, hail and disease caused most of the crop damage this week. Significant rainfall in some areas has delayed harvest and warm, dry weather will be needed soon in order for producers to access fields. Many roads are soft and there are concerns that fields will not be able to support equipment. Reported yields so far have been average but variable in the region. Wind and hail have caused damage in some areas and canola swaths have been blown across fields.

Producers are busy hauling bales, desiccating pulses, combining and swathing.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Significant amounts of rain fell in most of the region this past week, delaying harvest. Rainfall varied from small amounts to 175 mm in the Meadow Lake area. The Speers area received 50 mm, the North Battleford area 39 mm, the Glaslyn area 48 mm, the Turtleford area 59 mm, the Frenchman Butte area 96 mm, the Barthel area 148 mm, the Dorintosh area 140 mm and the Rapid View area 93 mm. Since April 1, cumulative rainfall in the region has varied from 295 mm (St. Walburg area) to 457 mm (Glaslyn area).

Four per cent of the 2012 crop is combined and 33 per cent is swathed or ready to straight combine. One per cent of the spring wheat, 34 per cent of the peas and two per cent of the canola have been combined. One hundred per cent of the winter wheat, 95 per cent of the fall rye, 14 per cent of the spring wheat, 27 per cent of the barley, 10 per cent of the lentils and 39 per cent of the peas are swathed or ready to be straight combined. Fifty-seven per cent of the canola is swathed.

Pasture conditions across the region are rated as three per cent excellent, 83 per cent good and 14 per cent fair. All livestock producers are reported to have adequate supplies of water for their animals.

Topsoil moisture conditions on cropland are seven per cent surplus and 93 per cent adequate. Pasture and hay land topsoil moisture conditions are three per cent surplus, 96 per cent adequate and one per cent short.

The majority of crop damage is attributed to hail, insects, flooding and disease. Hail was received in some parts of the region and damage is substantial in some areas. Aster yellows, sclerotinia and bertha armyworms continue to affect yields, which have been less than anticipated; however, producers are optimistic about remaining crops. Some areas that received significant rainfall have water lying in the field and many crops have been lodged.

Producers are busy hauling bales, desiccating pulses, swathing and combining.

Saskatchewan Harvest Progress August 27, 2012

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	1	0	2	97
SW*	1	0	2	96
EC	1	1	8	90
WC	11	3	20	66
NE	0	1	0	99
NW	0	80	20	0

* one per cent is rated as 'other'

Fall Rye	% Standing	% in swath	% ready to straight combine	% combined
SE	1	0	2	97
SW*	0	0	0	96
EC	3	4	2	91
WC	0	2	14	84
NE**	3	3	0	91
NW	5	85	10	0

* four per cent is rated as 'other'

** three per cent is rated as 'other'

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	58	17	6	19
SW	48	6	25	21
EC	85	7	6	2
WC	89	6	4	1
NE	80	6	13	1
NW	85	5	9	1

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	67	6	8	19
SW	47	5	19	29
EC	91	6	3	0
WC	96	3	1	0
NE	93	5	2	0
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE*	80	10	1	7
SW**	42	6	20	29
EC	96	3	1	0
WC	89	6	4	1
NE	94	1	4	1
NW***	96	1	0	0

* two per cent is rated as 'other'

** three per cent is rated as 'other'

*** three per cent is rated as 'other'

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE*	50	22	4	23
SW	26	2	11	61
EC	68	14	9	9
WC**	82	8	4	4
NE	66	13	14	7
NW	73	13	14	0

* one per cent is rated as 'other'

** two per cent is rated as 'other'

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	24	11	7	58
SW	4	3	7	86
EC	50	7	18	25
WC	55	2	28	15
NE	52	10	28	8
NW	90	0	10	0

* two per cent is rated as 'other'

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE	15	3	4	78
SW	3	0	3	94
EC	16	11	21	52
WC*	27	5	30	36
NE	16	10	28	46
NW	27	3	36	34

* two per cent is rated as 'other'

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
SE	71	0	0	29
SW	72	0	13	15
EC	80	0	20	0
WC	83	0	17	0
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	20	49	1	30
SW	7	26	5	62
EC	46	41	4	9
WC	42	53	1	4
NE	45	52	0	3
NW	41	57	0	2

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	34	39	3	24
SW	12	13	8	67
EC	73	20	4	3
WC	66	32	1	1
NE	95	5	0	0
NW	N/A	N/A	N/A	N/A

Triticale	% Standing	% in swath	% ready to straight combine	% combined
SE	N/A	N/A	N/A	N/A
SW*	32	6	32	14
EC	N/A	N/A	N/A	N/A
WC	92	3	5	0
NE	100	0	0	0
NW	N/A	N/A	N/A	N/A

* 16 per cent is rated as 'other'

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending August 27, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 29, 2012

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period August 21 to 27, 2012

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	181
	2	Mount Pleasant	N/A	212
	3	Enniskillen	2	311
	33	Moose Creek	N/A	266
	34	Browning	N/A	230
	61 A	Antler	N/A	309
	61 B	Antler	N/A	26
	63	Moose Mountain	NIL	364.3
	64	Brock	N/A	326
	65	Tecumseh	NIL	326
1B	91	Maryfield	NIL	344
	92	Walpole	N/A	302
	95	Golden West	NIL	301
	122	Martin	N/A	415
	123	Silverwood	NIL	384
	124	Kingsley	2	281
	151 A	Rocanville	1	532
	151 B	Rocanville	5	488
	153	Willowdale	NIL	391
	154	Elcapo	NIL	272
	155	Wolseley	10	388
2A	66	Griffin	N/A	N/A
	67	Weyburn	NIL	208
	68	Brokenshell	NIL	252
	69	Norton	N/A	N/A
	97	Wellington	NIL	338
2B	127 A	Francis	23.5	385.5
	127 B	Francis	20.3	266.7
	129	Bratt's Lake	NIL	317.5
	131	Baildon	2	379
	156	Indian Head	1	448.5
	160 A	Pense	N/A	322
	160 B	Pense	4.5	334
	161	Moose Jaw	1	364
	162	Caron	15	410.7
	191	Marquis	6	308
3ASE	38 A	Launer	NIL	285
	38 B	Launer	NIL	233
	39 A	The Gap	NIL	190
	39 B	The Gap	NIL	244
3ASW	10	Happy Valley	NIL	240
	12	Poplar Valley	N/A	275
	40	Bengough	NIL	213
	42	Willow Bunch	NIL	300
	43	Old Post	NIL	299
	44	Waverley	NIL	262
	70	Key West	N/A	160
	71	Excel	N/A	197
	73 A	Stonehenge	NIL	215.3
	73 B	Stonehenge	NIL	265
	74	Wood River	NIL	205.6
3AN	101	Terrell	1	313
	102	Lake Johnston	N/A	260.1
	103	Sutton	NIL	263
	104	Gravelbourg	NIL	243.5
	132	Hillsborough	1	374
	134	Shamrock	2	250
	164	Chaplin	NIL	244
	193 A	Eyebrow	N/A	307
	193 B	Eyebrow	4.5	382
	194	Enfield	N/A	336
3BS	17	Val Marie	NIL	454
	18	Lone Tree	N/A	N/A
	45	Mankota	1	329
	75 A	Pinto Creek	N/A	358
	75 B	Pinto Creek	NIL	255
	76 A	Auvergne	NIL	309
	76 B	Auvergne	NIL	305
	77	Wise Creek	N/A	259
	78 A	Grassy Creek	N/A	266
	78 B	Grassy Creek	NIL	218.5
	78 C	Grassy Creek	NIL	231
	105	Glenbain	NIL	280
	106	Whiska Creek	NIL	322
	107	Lac Pelletier	N/A	262
	108	Bone Creek	NIL	272
3BN	136	Webb	NIL	312
	166	Excelsior	3	365
	167	Sask. Landing	2	333.8
	168	Riverside	NIL	233
	226	Victory	N/A	391
	228	Lacadena	2	289
	257	Morse	1	307.7
4A	19	Frontier	5	214.6
	49	White Valley	NIL	247
	51	Reno	0.3	200.5
	79	Arlington	NIL	219
	109	Carmichael	N/A	344
	110	Piapot	NIL	244
	111	Maple Creek	2	314
4B	139	Gull Lake	1	314
	141	Big Stick	N/A	320
	142	Enterprise	6	215
	169	Pithville	N/A	186
	251	Happyland	NIL	251
5A	183	Fertile Belt	9	465
	186	Abernethy	2	415
	211	Churchbridge	1	415
	213	Saltcoats	10	391
	214	Cana	N/A	N/A
	216	Tullymet	NIL	408
	217	Lipton	1	384
	241	Calder	N/A	382
	243	Wallace	16	342
	245 A	Garry	2	467
	245 B	Garry	3	496
	245 C	Garry	N/A	421
	246	Ituna Bon Accord	4	374
	247	Kellross	NIL	373
	248	Touchwood	N/A	310
5B	271	Cote	12	473
	276	Foam Lake	N/A	288.5
	277	Emerald	15	459
	305	Invermay	16	386
	307	Elfros	27	441
	308	Big Quill	30	291
	333 A	Clayton	N/A	258.8
	334	Preeceville	20	370
	336	Sasman	19	378
	337	Lakeview	15	369
	338	Lakeside	22	266
	366	Kelvington	20	428
6A	189	Lumsden	N/A	321
	190 A	Dufferin	5	312
	190 B	Dufferin	5	308
	190 C	Dufferin	N/A	274
	190 D	Dufferin	N/A	403.4
	219	Longlaketon	16	280
	220	Mckillop	6	316
	221	Sarnia	5.6	297.3
	222	Craik	16	375
	251	Big Arm	3	281
	252	Arm River	7	293
	279	Mount Hope	N/A	301
	282	McCraney	22	399
	309	Prairie Rose	20	303
	313	Lost River	N/A	300
	339	Leroy	31.8	436.9
	340	Wolverine	28	372
	341	Viscount	16	352
	343	Blucher	28	370.5
	283	Rosedale	19.5	334
6B	284	Rudy	19	542
	285	Fertile Valley	14	456
	286	Milden	8	404
	314	Dundurn	N/A	336
	344	Corman Park	12	412
	346	Perdue	10	470
	376 A	Eagle Creek	8	401
	376 B	Eagle Creek	26	546
	403	Rosthern	23	428
	250	Snipe Lake	NIL	410.1
7A	260 A	Newcombe	N/A	238
	260 B	Newcombe	N/A	310
	287	St. Andrews	1	414
	288	Pleasant Valley	2	410
	290	Kindersley	2	312
	292	Milton	N/A	410.5
	317 A	Marriott	N/A	373
	317 B	Marriott	7	411
	318	Mountain View	9	413
	320 A	Oakdale	8	351
	320 B	Oakdale	28	323
	321	Prairiedale	N/A	323
7B	347 A	Biggar	35	430
	347 B	Biggar	N/A	358
	350 A	Manposa	17	480.4
	350 B	Manposa	35	386
	351	Progress	1	392
	352	Heart's Hill	NIL	426
	377	Glenside	33	512
	378 A	Rosemount	34	468
	378 B	Rosemount	42	480
	379	Reford	32	451
	381	Grass Lake	N/A	407
	409 A	Buffalo	N/A	514
	409 B	Buffalo	14	386.8
	410	Round Valley	0.3	311.5
	411	Senlac	N/A	437
8A	395	Porcupine	N/A	423
	397	Barrier Valley	N/A	253
	428	Star City	N/A	426
	456	Arborfield	27	528
	457	Connaught	12	617
	458	Willow Creek	17	423
	486	Moose Range	30	470
	487	Nipawin	37	565
8B	369	St. Peter	20	442
	370	Humboldt	39	461
	371	Bayne	55	514
	372	Grant	37.2	452.1
	402	Fish Creek	24	384
	429	Flett's Springs	13	459
	459	Kinistino	16	508
	460	Birch Hills	17	484.04
9AE	461	Prince Albert	12	445.5
	488	Torch River	14	413
	491	Buckland	15	419.9
9AW	406	Mayfield	17	454
	435	Redberry	22	450
	436	Douglas	50	382
	483	Duck Lake	15	418
	484	Lesnk	N/A	15
	467 A	Round Hill	39	358
	467 B	Round Hill	N/A	318
	494	Canwood	N/A	324
	497	Madstead	N/A	368
9B	438	Battle River	15	433
	440	Hillsdale	8	382.5
	442	Manitou Lake	5.68	346
	468 B	Meota	N/A	38
	498 A	Parkdale	48	457
	498 B	Parkdale	N/A	325
	499	Mervin	44	382.4
	501 A	Frenchman Butte	74.5	379
	501 B	Frenchman Butte	35	295
	501 C	Frenchman Butte	96	448
	561	Loon Lake	148	408
	588 A	Meadow Lake	175	451
	588 B	Meadow Lake	129	393
	588 C	Meadow Lake	140	376
	588 D	Meadow Lake	93	403.6
	622	Beaver River	N/A	275

Municipality No: A, B, C, and D - more than one reporter

in each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2012
To: August 27, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 29, 2012

Cropland Topsoil Moisture Conditions

August 28, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 29, 2012

Hay and Pasture Topsoil Moisture Conditions

August 28, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 29, 2012